


JONATHAN
CHARLES


JC COM GUIDE

YOUR FABRIC, APPLIED YOUR WAY



1

PICK YOUR CHAIR




2

SELECT YOUR FABRIC




3

SUBMIT YOUR FORM



ABOUT JONATHAN CHARLES COM PROGRAM SERVICE.

If you enjoy a truly custom décor, we allow you to combine your choice in fabric with the quality of our products. Our COM process is simple and quick with a leadtime of 4 weeks upon receipt of fabric and chairs are in-stock.



SELECTING YOUR FABRIC

When selecting your fabric, it's important to factor in lifestyle considerations in addition to the desired ambiance to ensure both style and functionality needs are being met. Dining chairs that are subject to everyday use will need an upholstery fabric that is durable to stains and damage.

JC Recomendations when selecting dining chair fabric

- Select upholstery fabric with at least a 15,000 abrasion resistance
- Consider stain resistant fabric to avoid spills absorbing into the chair
- Consider the fabrics colorfastness if the chairs will be subject to sunlight during the day

Pattern considerations

- Ensure fabrics featuring a central design will fit on the seat or back of the chair you are re-upholstering. We will assume to center the pattern if not specified on the order form.
- Any stripes will be arranged vertically, unless you request horizontal striping.

Other information

- Contrasting fabrics must be clearly specified on customers order form
- Inadequate fabric WILL delay your order - Please round up your total yardage to the half yard.
- We reserve the right to refuse the fabric if it will compromise the quality of the piece

Fabrics we do NOT accept

- Leather
- Fabric with flaws
- Quilted pieces
- Silk (must be approved)
- Sheets
- Vinyl (must be approved)
- Rugs



PREPARING AND SENDING YOUR FABRIC

How should you prepare the fabric you send?

- Inspect the fabric for flaws.
- Ensure you have the exact yardage specified by dining chair in the index pages. A small sample of fabric will be needed for the submitted COM form.
- Yardage must be continuous.



FINALIZING YOUR COM ORDER

- Complete the attached form and enclose it with your fabric
- Please cut a small swatch (at least 3" sq.) and staple to your order form, or provide a photo of equivalent size. Please attach with the correct side facing up (this precautionary measure helps insure that your fabric is identifiable to the order form when the fabric arrives to our facility.
- You can choose up to two different fabrics for your COM order. If you are choosing multiple fabrics, please indicate on your order form if your fabric will be sent in separate packages or together as one.
- If you are sending your fabric direct from the point of purchase, please ensure you have the PO listed in the order notes or attached to your name.
- Fabric and completed order form must be received before we can place your order.
- A confirmation will be sent to you once the fabric is recieved along with an estimated lead time.


Please note: All COM furniture is made to order. Therefore, these items are non-returnable. Deposits will be taken at the time the order is placed in order to secure your stock.



ABOUT JONATHAN CHARLES "COM PROGRAM" PLACEMENT.

For multiple fabrics please make sure to include careful instructions as to what fabric is to be applied in which location. If no instruction is given on welt, self welt will be applied to whatever area of the chair is being covered.

DINING CHAIR FABRIC PLACEMENT



COM FABRIC REPEAT CALCULATION GUIDE

When selecting a patterned fabric for your project, it's essential to account for the fabric's repeat to ensure proper alignment and coverage. Use the guide below to calculate the additional yardage needed for a patterned fabric based on the standard yardage provided for plain fabric.

Understanding Fabric Repeat

A fabric repeat is the distance before the pattern starts over again. It can be vertical, horizontal, or both. The repeat impacts how much extra fabric is required to match patterns across panels or cushions.

Step-by-Step Calculation for Additional Yardage

- FIND THE FABRIC WIDTH & VERTICAL REPEAT**
 - Check the fabric specifications for vertical and horizontal repeat size.
 - Identify the total repeat size – Vertical and horizontal repeat added together.
- USE THE CHART TO FIND THE ADDITIONAL PERCENTAGE**
 - Locate your fabric width in the first column.
 - Find the percentage increase based on the total repeat size.
- DETERMINE ADJUSTED YARDAGE**
 - Multiply the plain fabric yardage (Y) by the percentage from the chart.
 - Round up to the nearest ¼ yard.

Fabric Repeat Yardage Adjustment Chart

Fabric Width	3-14" Repeat	15-19" Repeat	20-27" Repeat	28-36" Repeat	37-43" Repeat	44-51" Repeat
54"	10%	15%	20%	25%	30%	35%
52"	20%	25%	30%	35%	40%	45%
50"	20%	25%	30%	35%	40%	45%
48"	25%	30%	35%	40%	45%	50%
45"	30%	35%	40%	45%	50%	55%
36"	60%	65%	70%	75%	80%	85%

Example Calculation

- **Plain fabric requirement:** 6 yards
- **Adjustment factor (from chart):** 30%
- **Fabric width:** 54"
- **Calculation:** 6 + (6×0.30)=7.8 yards
- **Total Repeat:** 38"
- **Final required yardage:** 8 yards (rounded up)

Final Notes


- Always verify fabric width and repeat details before ordering.
- Our customer service team will verify that the yardage looks correct based on the provided details.
- If there are any questions or discrepancies, our team will reach out to confirm before processing the order.
- Once the COM form is reviewed, customer service will confirm all order details before submitting the order and providing next steps on sending your fabric.



YARDAGE REQUIREMENTS


TYPE A. \$117

 <p>491076-SC-CFW-F400 Seat Yardage: 0.62</p>	 <p>491076-SC-DTD-F400 Seat Yardage: 0.62</p>	 <p>491076-SC-TLA-U3 Seat Yardage: 0.62</p>	 <p>491076-AC-TLA-U3 Seat Yardage: 0.62</p>
 <p>493330-SC-BLA-F053 Seat Yardage: 0.62</p>	 <p>493330-SC-MAH-F200 Seat Yardage: 0.62</p>	 <p>493330-AC-MAH-F200 Seat Yardage: 0.62</p>	 <p>492836-SC-MAH-F200 Seat Yardage: 0.62</p>
 <p>494347-SC-MAH-F200 Seat Yardage: 0.62</p>	 <p>494347-AC-MAH-F200 Seat Yardage: 0.62</p>		




TYPE B. \$132

 <p>491198-SC-DTM-F400 Seat Yardage: 0.92</p>	 <p>491198-AC-DTM-F400 Seat Yardage: 0.92</p>	 <p>530121-SC-CHW Seat Yardage: 1.48</p>	 <p>530121-AC-CHW Seat Yardage: 1.48</p>
 <p>007-2-125-NCJ Seat Yardage: 0.92 Welt Yardage: .23</p>	 <p>491047-AC-DTM-F400 Seat Yardage: 0.7</p>		



TYPE C. \$147







 <p>003-2-121-LMS Seat Yardage: 0.62 Welt Yardage: 0.17</p>	 <p>003-2-121-CHK Seat Yardage: 0.62 Welt Yardage: 0.17</p>	 <p>003-2-121-EBO Seat Yardage: 0.62 Welt Yardage: 0.17</p>	 <p>003-2-121-STO Seat Yardage: 0.62 Welt Yardage: 0.17</p>
 <p>007-2-080-MBM Seat Yardage: 0.76</p>	 <p>007-2-180-MBM Seat Yardage: 0.76</p>	 <p>491233-TGO-SC Seat Yardage: 0.81 Interior Back Yardage: 0.35 Exterior Back Yardage: 0.35 Welt Yardage: 0.45</p>	 <p>491233-TGO-AC Seat Yardage: 0.81 Interior Back Yardage: 0.35 Exterior Back Yardage: 0.35 Welt Yardage: 0.45</p>
 <p>003-2-100-STO Seat Yardage: 0.81 Interior Back Yardage: 0.46 Exterior Back Yardage: 0.46 Welt Yardage: 0.45</p>	 <p>003-2-000-STO Seat Yardage: 0.81 Interior Back Yardage: 0.46 Exterior Back Yardage: 0.46 Welt Yardage: 0.45</p>	 <p>003-2-100-WNC Seat Yardage: 0.81 Interior Back Yardage: 0.46 Exterior Back Yardage: 0.46 Welt Yardage: 0.45</p>	 <p>003-2-100-WNC Seat Yardage: 0.81 Interior Back Yardage: 0.46 Exterior Back Yardage: 0.46 Welt Yardage: 0.45</p>


TYPE E. \$200

 <p>495819-SC-PBG-F200 Seat Yardage: 0.92 Welt Yardage: 0.17</p>	 <p>495819-AC-PBG-F200 Seat Yardage: 0.92 Welt Yardage: 0.17</p>	 <p>007-2-181-WGO Seat Yardage: 0.92 Welt Yardage: 0.32</p>	 <p>007-2-182-WGO Seat Yardage: 0.92 Welt Yardage: 0.32</p>
 <p>003-2-120-SBC Seat Yardage: 0.92</p>	 <p>492247-WAL-F400 Seat Yardage: 2.10</p>		




TYPE F. \$280

 <p>496200-BLW-SC Seat Yardage: 0.50 Interior Back Yardage: 0.30 Exterior Back Yardage: 0.30</p>	 <p>496200-BLW-AC Seat Yardage: 0.50 Interior Back Yardage: 0.30 Exterior Back Yardage: 0.30</p>	 <p>496210-PEW-SC Seat Yardage: 0.7 Interior Back Yardage: 0.3 Exterior Back Yardage: 0.3 Welt Yardage: 0.2</p>	 <p>496210-PEW-AC Seat Yardage: 0.7 Interior Back Yardage: 0.3 Exterior Back Yardage: 0.3 Welt Yardage: 0.2</p>
 <p>491271-TLA-AC-U3 Seat Yardage: 0.73 Interior Back Yardage: 0.25 Exterior Back Yardage: 0.25</p>	 <p>001-2-133-WWO Seat Yardage: 0.63 Interior Back Yardage: 0.23 Exterior Back Yardage: 0.23 Welt Yardage: 0.23</p>		



TYPE G. \$292

 <p>007-2-141-ABR Seat Yardage: 0.69 Interior Back Yardage: 0.46 Exterior Back Yardage: 0.46</p>	 <p>007-2-140-ABR Seat Yardage: 0.69 Interior Back Yardage: 0.46 Exterior Back Yardage: 0.46</p>	 <p>001-2-132-WWO Seat Yardage: 0.7 Interior Back Yardage: 0.7 Welt Yardage: 0.23</p>	 <p>001-2-132-WWO Seat Yardage: 0.7 Interior Back Yardage: 0.75 Welt Yardage: 0.23</p>
 <p>001-2-131-LOW Seat Yardage: 1.15 Interior Back Yardage: 0.75 Exterior Back Yardage: 0.75 Welt Yardage: 0.35</p>	 <p>001-2-132-LOW Seat Yardage: 1.15 Interior Back Yardage: 0.81 Exterior Back Yardage: 0.81 Welt Yardage: 0.35</p>	 <p>496001-SC-PGA-F200 Seat Yardage: 0.92 Interior Back Yardage: 0.35 Exterior Back Yardage: 0.35 Welt Yardage: 0.30</p>	 <p>496001-AC-PGA-F200 Seat Yardage: 0.92 Interior Back Yardage: 0.35 Exterior Back Yardage: 0.35 Welt Yardage: 0.30</p>
 <p>010-5-0G0-GYO Seat Yardage: .5 Back Cushion Yardage: 2.00 Welt Yardage: 0.4</p>	 <p>010-2-131-BFO Seat Yardage: 0.92 Interior Back Yardage: 0.35 Exterior Back Yardage: 0.35 Welt Yardage: 0.3</p>	 <p>003-2-132-EBO Seat Yardage: 1.15 Interior Back Yardage: 0.81 Exterior Back Yardage: 0.81 Welt Yardage: 0.35</p>	



TYPE G. \$292

 <p>496001-SC-PGA-F200 Seat Yardage: .92 Interior Back Yardage: 0.35 Exterior Back Yardage: 0.35 Welt Yardage: 0.30</p>	 <p>496001-AC-PGA-F200 Seat Yardage: .92 Interior Back Yardage: 0.35 Exterior Back Yardage: 0.35 Welt Yardage: 0.30</p>	 <p>496063-SC-WBA-F200 Seat Yardage: .92 Interior Back Yardage: 0.43 Exterior Back Yardage: 0.43 Welt Yardage: 0.46</p>	 <p>496063-AC-WBA-F200 Seat Yardage: .92 Interior Back Yardage: 0.43 Exterior Back Yardage: 0.43 Welt Yardage: 0.46</p>
 <p>500349-SC-WTL-F300 Seat Yardage: .92 Interior Back Yardage: 0.43 Exterior Back Yardage: 0.43 Welt Yardage: 0.29</p>	 <p>500349-AC-WTL-F300 Seat Yardage: .92 Interior Back Yardage: 0.43 Exterior Back Yardage: 0.43 Welt Yardage: 0.29</p>	 <p>491234-TGO-SC-U2 Seat Yardage: 1.00 Interior Back Yardage: 0.55 Exterior Back Yardage: 0.55</p>	 <p>491234-TGO-AC-U2 Seat Yardage: 1.00 Interior Back Yardage: 0.55 Exterior Back Yardage: 0.55</p>

Please submit this form along with your order. If your order includes multiple chair models, kindly complete a separate form for each. Once reviewed to verify accuracy of order details and fabric yardage, you will receive confirmation with instructions on where to send your fabric.

Customer Name: _____

Chair model for fabric application: _____

Contact Phone Number for Questions: _____

PO No: _____

Chair Qty for fabric application: _____

FABRIC ONE

Fabric Name/Number: _____

Color/description: _____

Fabric Source: _____

Total COM Yardage Needed: _____

Description:

Pattern Plain

If Pattern, is there a repeat: Yes No

(If yes : Horizontal: _____ Vertical _____)

Fabric to be applied to: Entire Chair

(If not applying to entire chair please select what applies:)

Inside Back Outside Back

Seat Pan Arm Caps

All Welt

Further Instruction: (including any requests for centering)

Attach cutting of fabric face up and oriented in direction of desired upholstery application

↑↑

Please indicate direction of fabric application

Up the roll Railroaded

Failure to provide Jonathan Charles with specific and detailed application instruction authorizes production to use its own discretion with cutting and upholstering your fabric. This form MUST be supplied before order will be processed.

Email: customercare@jonathancharlesus.com

JC COM DINING GUIDE

YOUR FABRIC, APPLIED YOUR WAY



Please submit this form along with your order. If your order includes multiple chair models, kindly complete a separate form for each. Once reviewed to verify accuracy of order details and fabric yardage, you will receive confirmation with instructions on where to send your fabric.

Customer Name: _____

Chair model for fabric application: _____

Contact Phone Number for Questions: _____

PO No: _____

Chair Qty for fabric application: _____

FABRIC TWO (IF APPLICABLE)

Fabric Name/Number: _____

Color/description: _____

Fabric Source: _____

Total COM Yardage Needed: _____

Description:

Pattern	Plain
If Pattern, is there a repeat:	Yes No
(If yes : Horizontal: _____	Vertical _____)
Fabric to be applied to:	Entire Chair
(If not applying to entire chair please select what applies:)	
Inside Back	Outside Back
Seat Pan	Arm Caps
All Welt	
Further Instruction: (including any requests for centering)	

Attach cutting of fabric face up and oriented in direction of desired upholstery application

↑↑

Please indicate direction of fabric application

Up the roll Railroaded

Failure to provide Jonathan Charles with specific and detailed application instruction authorizes production to use its own discretion with cutting and upholstering your fabric. This form MUST be supplied before order will be processed.

Email: customercare@jonathancharlesus.com

JONATHAN CHARLES



COM DINING PROGRAM